




Sherman Oaks California (USA), 2025



MODERN ASPECTS OF SCIENCE AND EDUCATION

COLLECTIVE MONOGRAPH

MODERN ASPECTS OF SCIENCE
AND EDUCATION

Compiled by
VIKTOR SHPAK

Chairman of the Editorial Board
STANISLAV TABACHNIKOV

GS Publishing Services
Sherman Oaks
2025

The collective monograph is a scientific and practical publication that contains scientific articles by doctors and candidates of sciences, doctors of philosophy and art, graduate students, students, researchers and practitioners from European and other countries. The articles contain research that reflects current processes and trends in world science.

Text Copyright © 2025 by the Publisher «GS Publishing Services» and authors.
Illustrations © 2025 by the Publisher «GS Publishing Services» and authors.
Cover design © 2025 Publisher «GS Publishing Services».

Authors: Marina Azhazha, Olena Berezinska, Yaroslav Chkana, Dmytro Hetmanm, Liliia Kotsan, Kateryna Kovalova, Yuliya Kovalova, Vita Logvinova, Nataliia Lysenko, Natalya Metelenko, Anatoliy Mikhailov, Oleg Mikhailov, Vitalina Nikitenko, Iryna Panova, Oleg Pergat, Mykola Pysarevskiy, Iryna Riabinina, Natalia Riabinina, Oleksandr Romaniuk, Elman Safarov, Yevgenii Shtefan, Mykhailo Sidorov, Igor Strashynskiy, Vira Tymoshenko, Olga Venger, Valentyna Voronkova.

**MEDICAL-PSYCHOLOGICAL, ENVIRONMENTAL AND SOCIO-ECONOMIC
CONSEQUENCES OF THE CHORNOBYL DISASTER
based on the materials of the scientific and practical online conference
with international participation April 25, 2025**

Authors: Iryna Andrusyshyna, Olha Biliaieva, Maxim Bilyachenko, Andrii Bitinsh, Halyna Bolshakova, Svitlana Burburska, Tetiana Chastii, Nataliia Dmytrukha, Inna Holub, Olha Holubka, Hrygoriy Hryban, Denis Garmash, Valentyna Groza, Eduard Ivashkevych, Ernest Ivashkevych, Yevhen Kharchenko, Maksym Kovhan, Iryna Kuchma, Anastasiia Kundiiieva, Olena Lampeka, Valentyna Movchan, Valentyna Moysenyko, Nataliia Mykhalchuk, Iryna Nizhenkovska, Oksana Osadcha, Volodymyr Panchenko, Olena Pantus, Serhii Puzik, Svitlana Rodchenko, Evgen Shepetko, Yuliia Shevchenko, Ostap Skoruy, Myroslava Stadnyk, Stanislav Tabachnikov, Pavlo Tkachenko, Tetiana Tovalovych, Olena Velchynska, Anastasia Yasna, Oleksandr Zaporozhets, Mykhailo Zhyvko, Zinaida Zhyvko, Serhii Zozulja.

**MEDICINE AND PHARMACY: CURRENT ISSUES OF GENERAL MEDICAL
AND PHARMACEUTICAL PRACTICE IN WAR TIMES
based on the materials of the scientific and practical online conference
with international participation on May 14, 2025**

Authors: Dmytro Bondarenko, Olha Chorna, Oleksandr Chubenko, Tetiana Doroshenko, Serhii Hozhdzinskiy, Natalia Huzenko, Sofiia Kharlampovych, Serhii Maksymenko, Yuliia Maksymenko, Iryna Nizhenkovska, Yaroslava Pushkarova, Kateryna Smetanina, Pawel Sysa, Yelyzaveta Trotsenko, Tetiana Vartolomeieva, Olena Velchynska, Olena Welchinska, Volodymyr Zaitsev, Halyna Zaitseva. Galyna Zaitseva.

All rights reserved. No part of this publication may be reproduced, distributed or transmitted in any form or by any means, or stored in a database or search engine without the prior written permission of the publisher. The authors are responsible for the content and reliability of their articles. Citation or other use of the monograph is possible only with reference to the publication.

Publisher «GS Publishing Services»
15137 Magnolia Blvd, # D,
Sherman Oaks, CA 91403, USA.

ISBN 979-8-9917519-2-6
DOI: 10.51587/9798-9917-51926-2025-023

Scientific editors-reviewers:
S. Bobrovnyk, Yu. Bondar, A. Cherep, P. Glukhovskiy, P. Hovorov, Yu. Kuznetsov,
V. Lazurenko, V. Moiseienko, L. Omelianchuk, R. Protsiuk, Zh. Virna.

The monograph is recommended for publication by the Academic Council of the Institute of Adult Education,
Presidium of the National Academy of Sciences of Higher Education of Ukraine.

Modern aspects of science and education : collective monograph / Compiled by V. Shpak; Chairman of the Editorial Board S. Tabachnikov. Sherman Oaks, California : GS Publishing Services, 2025. 428 p.

Available at: DOI: 10.51587/9798-9917-51926-2025-023

CONTENT

COMPUTER SCIENCE

Oleksandr ROMANIUK

RAY TRACING METHODS FOR FORMING THREE-DIMENSIONAL GRAPHIC IMAGES.....9

**Oleksandr ROMANIUK,
Yuliya KOVALOVA**

WEB DESIGN DEVELOPMENT CONCEPTS.....30

ECONOMIC SCIENCES

**ВОРОНKOBA Валентина Григорівна,
МЕТЕЛЕНКО Наталя Георгіївна,
НИКІТЕНКО Віталіна Олександрівна,
АЖАЖА Марина Андріївна,
ВЕНГЕР Ольга Миколаївна**

ЦИФРОВІ ТЕХНОЛОГІЇ ЯК ЧИННИК СТАЛОГО РОЗВИТКУ ЕКОЛОГІЧНОГО МЕНЕДЖМЕНТУ, ЕКОЛОГІЧНОЇ БЕЗПЕКИ ТА ЗЕЛЕНОЇ ЕКОНОМІКИ В УМОВАХ ГЛОБАЛЬНИХ ВИКЛИКІВ.....95

ГЕТЬМАН Дмитро Володимирович

МОЖЛИВОСТІ ТА ПЕРСПЕКТИВИ ПОДАТКОВОГО РЕГУЛЮВАННЯ КРИПТОВАЛЮТИ В УКРАЇНІ..... 119

Natalia RIABININA

INNOVATIVE TRENDS IN THE PRODUCTION OF MEAT SUBSTITUTES 124

LINGUISTICS

**РЯБІНІНА Ірина Миколаївна,
ЛИСЕНКО Наталія Василівна,
КОВАЛЬОВА Катерина Дмитрівна**

МЕТОДИКА ПЕРЕКЛАДУ НЕНОРМАТИВНОЇ ЛЕКСИКИ ІНОЗЕМНОЇ ХУДОЖНЬОЇ ЛІТЕРАТУРИ 139

Olena BEREZINSKA

USING THE VOICE AS A COMMUNICATION TOOL 144

PEDAGOGICAL SCIENCES

ЧКАНА Ярослав Олегович

МАТЕМАТИЧНЕ МОДЕЛЮВАННЯ ЯК ІНСТРУМЕНТ РОЗВИТКУ КРИТИЧНОГО МИСЛЕННЯ УЧНІВ В УМОВАХ НУШ..... 150

PHYSICAL AND MATHEMATICAL SCIENCES

Yevgenii SHTEFAN,
Anatoliy MIKHAILOV,
Oleg MIKHAILOV

MODELING OF FORMING PROCESSES OF POWDER AND
 POROUS MATERIALS PRODUCTS174

POLITICAL AND LEGAL SCIENCES

Mykola PYSAREVSKIY,
Iryna PANOVA,
Mykhailo SIDOROV

THE EVOLUTION OF THE CONCEPT OF INTERNATIONAL
 SECURITY: THEORETICAL APPROACHES AND POLICY
 PRACTICE IN THE 20TH AND 21ST CENTURIES 188

ТИМОШЕНКО Віра Іванівна

ПРАВОПОРУШЕННЯ ЯК НАСЛІДОК СОЦІАЛЬНОЇ
 НЕСПРАВЕДЛИВОСТІ.....202

PSYCHOLOGY

КОЦАН Лілія Миколаївна

КОУЧИНГ ЯК ГАЛУЗЬ РОЗВИТКУ МОТИВАЦІЇ ТА
 ПСИХОЛОГІЧНА ПРОДУКЦІЯ215

TECHNICAL SCIENCES

Oleg PERGAT,
Igor STRASHYNSKYI

PROPERTIES OF MODEL MIXED MEAT AND
 MEAT-CONTAINING SEMI-FINISHED PRODUCTS
 DEPENDING ON THE AMOUNT
 OF STRUCTURING AGENT.....222

САФАРОВ Елман Гасанбей огли

ПОВЕДІНКА МАТЕРІАЛІВ ПРИ ІМПУЛЬСНОМУ
 НАВАНТАЖЕННІ.....231

VETERINARY MEDICINE

ЛОГВІНОВА Віта Володимирівна

ВІКОВІ ОСОБЛИВОСТІ ГІСТОАРХІТЕКТОНІКИ
 ЛІМФОЇДНИХ УТВОРЕНЬ ТОНКОГО КИШЕЧНИКА
 МУСКУСНИХ КАЧОК.....238

**MEDICAL-PSYCHOLOGICAL, ENVIRONMENTAL
AND SOCIO-ECONOMIC CONSEQUENCES
OF THE CHORNOBYL DISASTER**

based on the materials of the scientific and practical
online conference with international participation
April 25, 2025

ECONOMIC SCIENCES

**ЖИВКО Зінаїда Богданівна,
ПАНЧЕНКО Володимир Анатолійович,
СТАДНИК Мирослава Євгенівна,
ЖИВКО Михайло Олександрович,
РОДЧЕНКО Світлана Сергіївна**

СИНЕРГІЯ УПРАВЛІННЯ БІЗНЕСОМ, ІТ-ТЕХНОЛОГІЯМИ
ТА ЛЮДСЬКИМИ РЕСУРСАМИ: ВИКЛИКИ ТА НАСЛІДКИ
ЧОРНОБИЛЬСЬКОЇ КАТАСТРОФИ263

MEDICINE

**АНДРУСИШИНА Ірина Миколаївна,
ЛАМПЕКА Олена Григорівна,
ГОЛУБ Інна Олександрівна,
ДМИТРУХА Наталія Миколаївна,
МОВЧАН Валентина Олександрівна**

МЕДИЧНІ ТА ЕКОЛОГІЧНІ АСПЕКТИ ДІЇ СВИНЦЮ НА
ЗДОРОВ'Я НАСЕЛЕННЯ ТА СТАН ДОВКІЛЛЯ В РЕАЛІЯХ
СЬОГОДЕННЯ ЧЕРЕЗ ПРИЗМУ НАСЛІДКІВ
ЧОРНОБИЛЬСЬКОЇ КАТАСТРОФИ В УКРАЇНІ276

**БІЛЯЄВА Ольга Олександрівна,
ОСАДЧА Оксана Іванівна,
БІТІНЬШ Андрій Русланович**

ОБГРУНТУВАННЯ ЕФЕКТИВНОСТІ ЗАСТОСУВАННЯ
В КОМПЛЕКСНОМУ ЛІКУВАННІ ПАЦІЄНТІВ З
НЕЙРОШЕМІЧНОЮ ФОРМОЮ СИНДРОМУ
ДІАБЕТИЧНОЇ СТОПИ.....282

Anastasiia KUNDIIEVA

WORK AND RESEARCH OF THE INSTITUTE THROUGH
THE PRISM OF THE CHORNOBYL CATASTROPHE289

Valentyna MOYSEYENKO

HEALTH STATUS AND RISK OF DEVELOPMENT OF LIVER
LESIONS AMONG THE RESIDENTS OF UKRAINE294

ТАБАЧНИКОВ Станіслав Ісакович,

ТОВАЛОВИЧ Тетяна Володимирівна

РОЛЬ І МІСЦЕ ПСИХОТЕРАПІЇ ТА
ПСИХОПРОФІЛАКТИКИ В ЗАБЕЗПЕЧЕННІ
НАДІЙНОСТІ І БЕЗПЕКИ ОПЕРАТИВНОГО
ПЕСОНАЛУ АТОМНИХ ЕЛЕКТРОСТАНЦІЙ
НА ПРИКЛАДІ ЧОРНОБИЛЬСЬКОЇ КАТАСТРОФИ298

БОЛЬШАКОВА Галина Михайлівна,

ЧАСТІЙ Тетяна Володимирівна,

ШЕВЧЕНКО Юлія Володимирівна,

КУЧМА Ірина Юріївна,

ГОЛУБКА Ольга Вадимівна

РАДІАЦІЯ ТА МІКРОБІОМ: ПЕРСПЕКТИВИ
ПРОБІОТИЧНОЇ ТЕРАПІЇ308

Evgen SHEPETKO,

Denis GARMASH,

Svitlana BURBURSKA,

Maxim BILYACHENKO,

Anastasia YASNA

TOTAL GASTRECTOMY WITH JEJUNOGASTROPLASTY IN
SURGICAL TREATMENT OF ACUTE BLEEDING GASTRIC
CANCER. WAYS TO IMPROVE THE RESULTS314

PHARMACY

ВЕЛЬЧИНСЬКА Олена Василівна,

НІЖЕНКОВСЬКА Ірина Володимирівна

ТЕХНОГЕННІ КАТАСТРОФИ: НАПРЯМКИ ХІМІКО-
ТОКСИКОЛОГІЧНИХ ДОСЛІДЖЕНЬ КСЕНОБІОТИКІВ319

PSYCHOLOGY

Nataliia MYKHALCHUK,

Yevhen KHARCHENKO,

Eduard IVASHKEVYCH,

Ernest IVASHKEVYCH

PHYLOSOFICAL AND PSYCHOLOGICAL MECHANISM
OF SOCIO-ECONOMIC REHABILITATION OF THE
AFFECTED TERRITORIES OF KYIV REGION AS
THE RESULY OF THE ACCIDENT AT THE CHERNOBYL
NUCLEAR POWER PLANT324

SOCIAL SCIENCES

Hrygoriy HRYBAN,
Pavlo TKACHENKO,
Ostap SKORUY,
Olena PANTUS

RADIATION POLLUTION OF THE ENVIRONMENT
 AS A RESULT OF THE CHORNOBYL DISASTER AND
 ITS IMPACT ON HUMAN HEALTH344

TECHNICAL SCIENCES

Serhii PUZIK,
Valentyna GROZA,
Oleksandr ZAPOROZHETS,
Serhii ZOZULIA,
Maksym KOVHAN

REGENERATION OF THE SURFACE OF POLLUTION
 DEPOSITION OF POWER CLEANERS WITH DETERGENT.....352

**MEDICINE AND PHARMACY: CURRENT ISSUES OF GENERAL
 MEDICAL AND PHARMACEUTICAL PRACTICE IN WAR TIMES**

**based on the materials of the scientific and practical
 online conference with international participation
 on May 14, 2025**

БОНДАРЕНКО Дмитро Анатолійович,
ДОРОШЕНКО Тетяна Сергіївна,
МАКСИМЕНКО Юлія Андріївна

ЩОДО ПОШИРЕНOSTI НАДЛИШКОВОЇ МАСИ ТІЛА
 ТА ОЖИРІННЯ СЕРЕД ЖІНОК МОЛОДОГО ТА
 СЕРЕДНЬОГО ВІКУ В ОДЕСЬКІЙ ОБЛАСТІ359

ВАРТОЛОМЕЄВА Тетяна Володимирівна

АКТИВНІ ФАРМАЦЕВТИЧНІ ІНГРЕДІЄНТИ У СКЛАДІ
 ДЕРМАТОЛОГІЧНИХ СУМІШЕЙ: БЕНЗОЇЛПЕРОКСИД,
 ІЗОТРЕТИНОЇН, АЗЕЛАЇНОВА КИСЛОТА363

Olena WELCHINSKA,
Pawel SYSA

STANDARDIZED METHODS FOR ANALYSIS OF THE ACTIVE
 SUBSTANCE TRIAMCINOLOL IN VETERINARY368

ВЕЛЬЧИНСЬКА Олена Василівна,
НІЖЕНКОВСЬКА Ірина Володимирівна

СУЧАСНИЙ ФАРМАЦЕВТИЧНИЙ АНАЛІЗ: ІМПЛЕМЕНТАЦІЯ
 ВИСОКОЕФЕКТИВНИХ ІНСТРУМЕНТАЛЬНИХ МЕТОДІВ373

**ЗАЙЦЕВА Галина Миколаївна,
ГОЖДЗІНСЬКИЙ Сергій Мартинович,
ПУШКАРЬОВА Ярослава Миколаївна**

НАВЧАЛЬНА ДИСЦИПЛІНА «ОСНОВИ
ПАТЕНТОЗНАВСТВА»: ПРОБЛЕМИ, ВИКЛИКИ
ТА ПЕРСПЕКТИВИ ВПРОВАДЖЕННЯ378

**Volodymyr ZAITSEV,
Galyna ZAITSEVA**

COMPETENCY-BASED APPROACH TO TEACHING
PHYSICO-CHEMICAL METHODS OF ANALYSIS
IN MODERN PHARMACEUTICAL EDUCATION.....382

**ПУШКАРЬОВА Ярослава Миколаївна,
ЗАЙЦЕВА Галина Миколаївна**

ХЕМОМЕТРИЧНІ МЕТОДИ У СУЧАСНІЙ ФАРМАЦІЇ.....391

Kateryna SMETANINA

GERIATRIC PATIENTS IN FOCUS OF SPECIALIZED
PHARMACEUTICAL CARE398

ТРОЦЕНКО Єлизавета Павлівна

ВИЗНАЧЕННЯ ФІЗИКО-ХІМІЧНИХ ПАРАМЕТРІВ
СУБСТАНЦІЙ ЛІКАРСЬКИХ ЗАСОБІВ
ФАРМАКОПЕЙНИМИ МЕТОДАМИ.....401

ХАРЛАМПОВИЧ Софія Андріївна,

ВЕЛЬЧИНСЬКА Олена Василівна

КОМБІНАЦІЯ МЕТОДІВ ГАЗОВОЇ ХРОМАТОГРАФІЇ–
МАС-СПЕКТРОМЕТРІЇ ДЛЯ ДОСЛІДЖЕННЯ ВМІСТУ
ПЕСТИЦИДІВ У ЛІКАРСЬКІЙ РОСЛИННІЙ СИРОВИНІ.....406

ЧУБЕНКО Олександр Владкорович,

ГУЗЕНКО Наталя Валеріївна,

ЧОРНА Ольга Володимирівна

АНАЛІТИЧНА ДІАГНОСТИКА НОВИХ ПСИХОТРОПНИХ
РЕЧОВИН В БІОЛОГІЧНОМУ МАТЕРІАЛІ ЛЮДИНИ –
СУЧАСНІ ВИКЛИКИ410

МАКСИМЕНКО Сергій Дмитрович

МЕНТАЛЬНЕ ПРОТИСТОЯННЯ ЗАГРОЗАМ: ГЕНЕТИЧНИЙ ПІДХІД
ДО ПОДОЛАННЯ НАСЛІДКІВ ЧОРНОБИЛЬСЬКОЇ КАТАСТРОФИ,
ПАНДЕМІЇ COVID-19 ТА ВОЄННИХ ВИКЛИКІВ ЯК ГЛОБАЛЬНОЇ
ЗАГРОЗИ МАЙБУТНЬОМУ ЛЮДСТВА І ШЛЯХИ РЕАБІЛІТАЦІЇ
ЧЕРЕЗ ГЕНЕТИКО-КРЕАТИВНУ СТРАТЕГІЮ416



Oleg PERGAT,

Postgraduate Student

National University of Food Technologies

ORCID ID: 0000-0003-3616-1327

Igor STRASHYNSKYI,

Ph.D., Associate Professor,

National University of Food Technologies

ORCID ID: 0009-0006-6834-6990

Kyiv, Ukraine

PROPERTIES OF MODEL MIXED MEAT AND MEAT-CONTAINING SEMI-FINISHED PRODUCTS DEPENDING ON THE AMOUNT OF STRUCTURING AGENT

Statement of the problem. According to demographers, by 2050 the world's population will reach 9.7 billion, which requires solving problems related to food availability and food security. In the coming decades, the production of protein food must be significantly increased in order to provide it in sufficient quantities to keep up with population growth. However, animal products, especially meat, have a significant impact on the environment in terms of water and land use, greenhouse gas emissions, and energy consumption. Meat production requires a significant amount of vegetable protein. On average, 6 kg of vegetable protein are required for 1 kg of meat protein. The required amount of feed varies between 3,3, 6,4 and 25 kg for poultry, pork or beef, respectively¹. Most people consume meat because it is perceived as tasty, healthy and nutritious and is deeply rooted in many cultures.

Analysis of recent research and publications. There are many varieties of plant-based diets for complete or limited consumption of animal protein foods: pescetarianism (abstaining from meat but consuming fish), vegetarianism (abstaining from meat and fish, but consuming animal products such as milk and eggs), lacto-vegetarianism (avoiding all animal products except milk),

¹ Alexander, P., Brown, C., Arneith, A., Finnigan, J. & Rounsevell, M. D. A. (2016). Human appropriation of land for food: The role of diet. *Global Environmental Change*, 41, 88–98, <https://doi.org/10.1016/j.gloenvcha.2016.09.005>.

ovo-vegetarianism (avoiding all animal products except eggs), and veganism (complete rejection of products of animal origin). Flexitarianism is a more flexible and varied system of nutrition that does not have strict rules, but the basic idea is that the diet consists mainly of plant foods, but occasionally contains meat and fish.

Modern technologies for the production of meat products provide for the replacement of animal proteins with the use of processed products of plant origin. Thus, the actual meat content in finished products is reduced, which leads to a decrease in meat consumption. The share of meat-containing products in the assortment of meat-processing enterprises is dynamically increasing. A meat-containing product is a food product whose composition contains less than 60 % but not less than 15 % deveined meat or is made from offal and (or) blood.

Recently, another group of products has appeared – meat analogues². These are products that can replace meat in terms of their functionality, being similar in terms of product properties and sensory characteristics.

The technologies for manufacturing meat-containing products and plant-based meat analogues require an understanding of the functional and technological properties of not only the protein source, but also the fibers and other bioactive ingredients. Although the synergistic effect caused by the combination of different ingredients makes it difficult to accurately predict behavior, it is important to pay attention to some properties characteristic of specific components. In the case of proteins, preference is given to high emulsifying ability, water solubility and amino acid composition³. The decisive factors in the selection of dietary fibers are gel-forming ability and viscosity, as well as moisture-retaining and emulsifying ability.

The choice of protein source plays an important role in shaping texture, color, flavor, and affects weight loss during cooking. The preference for plant-based protein sources (soy, wheat, peas, and potatoes) is largely due to their amino acid composition.

Soy protein has been one of the main sources of plant-based protein for meat alternatives and its history dates back to ancient China. Soy derivatives, such as soy flour, soy protein concentrate and soy protein isolates, are recognized as

2 Kołodziejczak, K., Onopiuk, A., Szpicer, A. & Poltorak, A. (2022). Meat Analogues in the Perspective of Recent Scientific Research: A Review. *Foods*, 11(1), 105, <https://doi.org/10.3390/foods11010105>.

3 Kyriakopoulou, K., Keppler, J. K. & van der Goot, A. J. (2021). Functionality of Ingredients and Additives in Plant-Based Meat Analogues. *Foods*, 10(3), 600, <https://doi.org/10.3390/foods10030600>.

a cheaper alternative with high nutritional value and technological properties and are used in the technology of meat and meat-containing products⁴.

Meat does not contain carbohydrates, but the technology of meat products involves their use, especially in emulsified and formed processed meat products. Meat analogues and meat-containing products, on the other hand, almost always contain carbohydrates. Carbohydrates contained in meat products can come from different ingredients and perform various functions. Carbohydrate ingredients can be classified as starch or flour, which are used to improve the texture and consistency of the product, or binding ingredients or gums, such as methylcellulose, acacia gum, xanthan gum, carrageenan, and many others, which are used to improve the stability and shape of the product. From a functional perspective, these ingredients are designed to improve the interaction between the protein and lipid components and the moisture of the food system. These ingredients help to catalyze these components and form a stable structure. From a nutritional perspective, carbohydrates can be viewed as health-promoting in the form of more dietary fiber or harmful to health in the form of more refined starches or sugars. Typically, a combination of dietary fiber, starch, and sugars is included in the formulation of both meat analogues and processed meat products⁵.

From a technological point of view, dietary fibers can affect the functional properties of food products related to texture, due to the ability to retain moisture and fat, the ability to gel and swell, emulsion stability, increased viscosity. The viscosity of dietary fibers is due to the physical interaction between fiber particles, closely related to the fiber microstructure⁶.

Setting the task. The aim of the work is to compare the effect of a mixture of dietary fibers on the active acidity and structural and mechanical properties of minced meat and meat-containing semi-finished products of model protein

- 4 Singh, P. & Krishnaswamy, K. (2022). Sustainable zero-waste processing system for soybeans and soy by-product valorization. *Trends Food Sci. Technol.*, 128, 331–344, <https://doi.org/10.1016/j.tifs.2022.08.015>; Strashynskiy, I., Marynin, A., Perhat, O. ta Baida, Ya. (2023). Teksturovani roslynni bilky yak alternatyva miasu. *Materialy 89 Mizhnarodnoi naukovoï konferentsii molodykh uchenykh, aspirantiv i studentiv "Naukovi zdobutky molodi – vyryshenniu problem kharchuvannia liudstva u XXI stolitti"*, 3–7 kvitnia 2023 r., (ch. 1, s. 289). Kyiv: NUKHT; Krintiras, G. A., Göbel, J., van der Goot, A. J. & Stefanidis, G. D. (2015), p. 289. Production of structured soy-based meat analogues using simple shear and heat in a Couette Cell. *Journal of Food Engineering*, 160, 34–41, <https://doi.org/10.1016/j.jfoodeng.2015.02.015>.
- 5 Hrechko, V. V., Strashynskiy, I. M. ta Pasichnyi, V. M. (2019). Kharchovi volokna yak funktsionalnyi inhediiient u miasnykh napivfabrykatakakh. *Tekhnichni nauky ta tekhnolohii*, 2(16), 154–164, [https://doi.org/10.25140/2411-5363-2019-2\(16\)-154-164](https://doi.org/10.25140/2411-5363-2019-2(16)-154-164); Fernandes, A., Mateus, N. & de Freitas, V. (2023). Polyphenol-Dietary Fiber Conjugates from Fruits and Vegetables: Nature and Biological Fate in a Food and Nutrition Perspective. *Foods*, 12(5), 1052, <https://doi.org/10.3390/foods12051052>.
- 6 Marvizadeh, M. M. & Akbari, N. (2019). Development and Utilization of Rice Bran in Hamburger as a Fat Replacer. *Journal of Chemical Health Risks*, 9(3), 245–251, <https://doi.org/10.22034/jchr.2019.668190>.

systems based on beef, soy protein texturate and soy protein isolate. In accordance with the aim of the research, the following tasks were set:

- conduct a patent information search on the topic of the work;
- develop formulations of model systems with raw materials of animal and plant origin, as prototypes of chopped meat and meat-containing semi-finished products;
- to investigate the effect of a mixture of dietary fibers in amounts of 1,5 %, 3 % and 4,5 % on model systems based on beef, soy protein texturate and soy protein isolate;
- determine active acidity and texture of the studied model systems before and after heat treatment.

The object of research is a technology of chopped meat and meat-containing semi-finished products.

The subject of research is a mixture of food fibers, meat raw materials, soy protein texturate and soy protein isolate, pre-prepared model protein systems of chopped meat and meat-containing semi-finished products.

The work investigated the effect of a mixture of dietary fibers (VIVAPUR® MGV 100 JRS, Germany) on protein systems of animal and plant origin.

In the conducted studies, active acidity was compared by determining pH using a certified pH meter (pH 50 VIO lab, measurement accuracy ± 0.02 , manufacturer – XS Instruments, Italy).

The texture profile of the samples was examined by hardness characteristics on a Shimadzu EZ-LX texturometer (Japan).

The obtained data are presented as mean \pm standard deviations after triplicate determination. Statistical analysis was performed using Microsoft Excel 2007. Differences in the obtained results were considered valid at a significance coefficient of $\alpha = 0,95$ ⁷.

Presentation of the main material. Research was conducted in the production laboratory of LLC "FOODTEK" and the Problem Research Laboratory of the National University of Food Technologies.

As a source of animal protein, beef of the 2nd grade (pH value $5,59 \pm 0,02$) was used for the research. Soy protein texturate (SOYTEX 5006PC, China) and soy isolate (ISOPRO 510A, China) were used as vegetable proteins. The formulations

⁷ Strashynskiy, I. M. ta Hrytsai, M. S. (2024). Rozrobka kompleksu nefosfatnykh volohoutrymuiuchykh dobavok na osnovi aktyvnykh stabilizatoriv miasnykh system. *Visnyk Lvivskoho torhovelno-ekonomichnoho universytetu*, 37, 71–79, <https://doi.org/10.32782/2522-1221-2024-37-12>.

of the studied model systems are given in Table 1. At the first stage, emulsions were prepared based on beef fat and a mixture of dietary fibers of 1,5 %, 3 % and 4,5 %, respectively. Hydration of the mixture of dietary fibers was carried out with food ice and water in a ratio of 1:4 to a homogeneous mass, the temperature at the end of the cutting was $18\pm 2^{\circ}\text{C}$. The ratio of components according to the recipes 1 M, 2 M, 3 M – with meat beef grade 2, control samples, experimental samples 1 T, 2 T, 3 T – with soy protein texturate and 1 Is, 2 Is, 3 Is – with soy protein isolate.

Table 1

Formulations of the studied model systems

Sample No	Raw material	Grade 2 beef	Soy protein texturate	Soy protein isolate	Dietary fiber blend	Beef fat	Moisture for hydration
	Content, %						
1 M		66	–	–	1,5	15	17,5
2 M		59,5	–	–	3	15	22,5
3 M		53,2	–	–	4,5	15	27,3
1 T		–	25,8	–	1,5	15	57,5
2 T		–	23,3	–	3	15	58,7
3 T		–	20,8	–	4,5	15	59,7
1 Is		–	–	19,3	1,5	15	64,2
2 Is		–	–	17,5	3	15	64,5
3 Is		–	–	15,6	4,5	15	64,9

At the second stage, preliminary preparation of soy proteins was carried out according to the technological instructions for their use. For texturate, it was carried out by hydration (soaking in water, ratio 1:2 at a temperature of $6\pm 2^{\circ}\text{C}$ for 2 hours) and subsequent grinding into 2-3 mm flakes. Soy protein isolate was used after hydration (ratio 1:3), prolonged cutting to form soy granules (achieving a gel temperature of $36\pm 2^{\circ}\text{C}$), after which it was cooled for 12 hours at a temperature of $4\pm 2^{\circ}\text{C}$).

Beef was ground into a powder with a diameter of 2-3 mm, a phosphate-free complex of active stabilizers (1,4 % by weight of meat) and 15 % moisture by weight of raw materials were added⁸.

8 Chauhan, S. S., LeMaster, M. N., Clark, D. L., Foster, M. K., Miller, C. E. & England, E. M. (2019). Glycolysis and pH Decline Terminate Prematurely in Oxidative Muscles despite the Presence of Excess Glycogen. *Meat and Muscle Biology*, 3(1), p. 74, <https://doi.org/10.22175/mmb2019.02.0006>.

At the third stage, experimental model systems were prepared according to the recipes by mixing on a mixer until the components were evenly distributed. 1,2 % of table salt was added to all samples. Salt increases the solubility of proteins, and added moisture is a solvent for salt and proteins, forming the textural properties of minced meat and finished products. The prepared minced meat was left for exposure for 20–30 min.

The work investigated the effect of heat treatment on experimental samples of model minced meat in a cooled state with a temperature in the middle of the product not higher than 8°C. The temperature of culinary readiness in the middle of the product of the products for meat and meat-containing chopped semi-finished products was 90°C.

The values of active acidity are given in Table 2. A significant difference in pH was observed between the samples from meat raw materials and samples with plant proteins studied. The lower pH value in samples with dietary fibers in the amount of 1,5 %, 3 % and 4,5 % compared to the pH of the raw materials was probably associated with glycolytic changes in the meat raw materials⁹.

Table 2

pH values of samples of model systems

Sample No	Dietary fiber mixture content, %	pH before heat treatment	pH after heat treatment
1 M	1,5	5,54	5,71
2 M	3	5,35	5,63
3 M	4,5	5,52	5,51
1 T	1,5	6,34	6,43
2 T	3	6,51	6,60
3 T	4,5	6,35	6,77
1 I ₃	1,5	6,28	6,35
2 I ₃	3	6,61	6,68
3 I ₃	4,5	6,88	7,08

According to the current study, samples using soy protein texturate and soy protein isolate showed a pH of more than 6. The higher pH in these samples

⁹ Anjum, F. M., Naeem, A., Khan, M. I., Nadeem, M. & Amir, R. M. (2011). Development of texturized vegetable protein using indigenous sources. *Pakistan Journal of Food Science*, 21(1), 33–44.

may be due to the alkalinity of the protein preparations containing vegetable protein (pH 7,42–7,43) compared to the controls, which are made from beef.

Similar research results were obtained by scientists in¹⁰, who also noted that the addition of soy protein isolate at a level of 25 % significantly increases the pH in meat sausages, which is similar to the results of this study.

Figure 1 shows the measurement of the hardness of a beef sample on a Shimadzu EZLX texturometer. According to Ayadi et al.¹¹, hardness is an instrumental parameter for assessing the texture of meat products.



Fig. 1. Shimadzu EZ-LX texturometer (Japan).

Textural properties are crucial for meat-containing products, since texture is an important factor in simulating organoleptic characteristics, including taste properties of finished products. The hardness values before heat treatment of meat and meat-containing systems with a content of 1.5 %, 3 % and 4.5 % of the dietary fiber mixture in the samples are presented in Figure 2.

10 Ahmad, S., Rizawi, J. A. & Srivastava, P. K. (2010). Effect of soy protein isolate incorporation on quality characteristics and shelf-life of buffalo meat emulsion sausage. *Journal of Food Science and Technology*, 47(3), 290–294, <https://doi.org/10.1007/s13197-010-0045-x>; Sukhenko, Yu. H., Zheplinska, M. M., Pasichnyi, V. M. ta Tymoshenko, I. V. (2019). *Optimizatsiia vyrobnychkh protsesiv: [Navchalnyi posibnyk]*. Kyiv: Firma «INKOS», p. 292.

11 Ayadi, M. A., Kechaou, A., Makni, I. & Attia, H. (2009). Influence of carrageenan addition on turkey meat sausages properties. *Journal of Food Engineering*, 93(3), 278–283, <https://doi.org/10.1016/j.jfoodeng.2009.01.033>.

The hardness of samples using meat raw materials was significantly higher compared to samples with soy protein texturate and soy protein isolate.




Fig. 2. Hardness (gf/mm) before heat treatment.

Figure 3 shows the hardness values of meat and meat-containing systems with different contents in the samples of the dietary fiber mixture after thermal processing.




Fig. 3. Hardness (gf/mm) after heat treatment

The increase in hardness values in samples with beef grade 2 after heat treatment was expected due to denaturation of muscle proteins, which led to an increase in hardness in the meat system.

Increasing the content of the dietary fiber mixture in the formulations from 1,5 % to 4,5 % increases the hardness of all experimental model systems and shows that with an increase in the amount of binding agent, hardness values increased proportionally. Similarly, increasing the amount of carrageenan in the formulations from 0,5 % to 1,5 % increases the hardness of sausage products [15, p. 281]. The reason for the lower hardness values of the experimental samples with soy protein texturate SOYTEX 5006PC and soy protein isolate ISOPRO 510A was their high hydration, which leads to the fact that meat-containing systems become softer.

Conclusion. The use of 1,5 %, 3 % and 4,5 % of a mixture of dietary fibers in model systems of meat and meat-containing semi-finished products with beef of the 2nd grade for control and experimental samples of soy protein texturate SOYTEX 5006PC and soy protein isolate ISOPRO 510A shows that with an increase in the amount of dietary fibers, hardness values increase. In samples with texturate and soy protein isolate, the pH values is more than 6, which is due to the alkalinity of protein preparations pH 7,42–7,43. The results obtained, and the relevance of the identified scientific direction justify the need for further research to develop a structuring composition based on dietary fibers for meat-containing products.

DOI: 10.51587/9798-9917-51926-2025-023-222-230